| IS1(6) | Precision Control Methodologies for Next Generation Mechatronic Systems | March 2nd, Sat. PM2 14:40-16:40 Room-A |
|--------|---|--|
| Chairs | s: Prof. Shota Yabui (Tokyo City University) | Prof. Juan Padron(Nagaoka University of Technology) |
| IS1-1 | Increased Wind Noise by Active Noise Cancellation Headphones | Takeru Watanabe and Takenori Atsumi (Chiba Institute of Technology, Japan) |
| IS1-2 | Development of Precise Control System for Magnetic Levitation Stage with Z-Assist System | Takanori Kato (Hitachi, Ltd., Japan) |
| IS1-3 | Control Design Strategy for Coarse-Fine Motion Control in Dual-Input-Single-Output System | Shota Yabui (Tokyo City University, Japan); Takenori Atsumi (Chiba Institute of Technology, Japan) |
| IS1-4 | Noncausal Nonlinear Feedforward Controller Design for Boost Converter Voltage Trajectory Tracking | Wataru Ohnishi and Shota Miyoshi (The University of Tokyo, Japan); Takafumi Koseki (University of Tokyo, Japan); Motoki Sato (Toyo Denki Seizo K. K., Japan) |
| IS1-5 | Effect of Limited Pole Placement Method in Collision Mitigation Operation Using Initial Value Compensation | Yoshiyuki Urakawa, Kosei Futemma and Sirichai Ngamlamai (Nippon Institute of Technology, Japan) |
| IS1-6 | A Design of Feedforward Input for PMSM Incorporating Shrinking-Horizon Final State Control | Masayasu Suzuki and Mitsuo Hirata (Utsunomiya University, Japan) |
| IS2(4) | Data-driven based Novel/Advanced Control for Nonlinear Mechanical Systems | March 2nd, Sat. AM 11:00-12:40 Room-A |
| Chairs | s: Prof. Shihua Li (Southeast University) | Prof. Jing Na (Kunming University of Science and Technology) |
| IS2-1 | Modeling and Nonlinear Control for Antagonistic Pneumatic Artificial Muscles Subject to Composite Disturbances and Uncertain Dynamics | Changda Fan, Tong Yang and Qingxiang Wu (Nankai University, China); Yougang Sun (Tongji & Institute of Rail Transit, China); Ning Sun (Nankai University, China) |
| IS2-2 | A Nonlinear Reset ADRC for PMSM Speed Regulation System with Overcoming the Overshoot | Shaohua Wang, He Gan and Ying Luo (Huazhong University of Science and Technology, China); YangQuan Chen (University of California, Merced, USA) |
| IS2-3 | Distributed State Estimation with Event-Triggered Communication and Stochastic Measurement Transmission via Wireless Sensor Networks | Gengen Li, Chunxi Yang, Xiufeng Zhang and Yashan Xing (Kunming University of Science and Technology, China); Jing Na (University of Bristol, United Kingdom (Great Britain)); Shichang Han (Kunming University of Science and Technology, China) |
| IS2-4 | Composite Finite-Time Control of Electromechanical Actuator with Integrated Friction Compensation and Uncertainties Attenuation | Yuan Jiang (Southeast University, China); Jun Yang (Loughborough University, United Kingdom (Great Britain)); Xinming Wang, Zuo Wang and Shihua Li (Southeast University, China) |
| IS3(5) | Data Utilization Control for Industrial Applications | March 3rd, Sun. AM 11:00-12:40 Room-A |
| Chairs | s: Dr. Issei Takeuchi (Tosho) | Prof. Sho Sakaino (University of Tsukuba) |
| IS3-1 | Controlling Torque and Acceleration in Geared Flexible Transmissions with Backlash Using Torque Sensors: Advantages, Limitations and Challenges | Juan Padron (Nagaoka University of Technology, Japan) |
| IS3-2 | Optimization of Path Planning of Bulldozer by Deep Reinforcement Learning with Sediment Simulator | Yutaka Uchimura (Shibaura Institute of Technology, Japan) |
| IS3-3 | Practical Implementations of Bilateral Control-Based Imitation Learning at iREX2023 | Sho Sakaino (University of Tsukuba, Japan) |
| IS3-4 | Four-Channel Bilateral Control with Neural-Network-Based Forward Kinematics Model for Metal Spinning Process | Yoshiyuki Hatta and Kazuaki Ito (Gifu University, Japan) |
| IS3-5 | A Design Method for Force Transmission/Feedback Controller Based on Admittance Control | Yuki Nagatsu (Takushoku University, Japan) |

| SS1(4) | Motion Control for Aeronautics and Astronautics Application | March 4th, Mon. AM 11:00-12:40 Room-B |
|---------------|--|--|
| Chairs | : Prof. Kikuko Miyata (Meijo University) | Prof. Susumu Hara (Nagoya University) |
| SS1-1 | Vibration Control of Multicopters in Vortex Regions of Building Wind | Teruya Kojima and Takenori Atsumi (Chiba Institute of Technology, Japan) |
| SS1-2 | Experimental System Analysis for Aerial Retrieval Utilizing Fixed-Wing UAV —Evaluation of UFSC Trajectory Generation Under Wind Disturbance— | Kandai Uchida, Yuzuki Yamaoka, Susumu Hara and Koichi Yamasaki (Nagoya University, Japan) |
| SS1-3 | Improvement of Tracking Performance of a Multicopter Flying in a Low-Ceiling Space Using RCBode Plot | Sota Endo and Takenori Atsumi (Chiba Institute of Technology, Japan) |
| SS1-4 | Experimental Investigations of Temperature and Vacuum Properties in Solid Lubricated Strain Wave Gearings for Space Applications | Yohei Hashino, Tsuyoshi Aramaki and Kenta Seki (Nagoya Institute of Technology, Japan); Kikuko Miyata (Meijo University, Japan); Makoto Iwasaki (Nagoya Institute of Technology, Japan) |
| SS2(4) | Power Electronics for Enhancing Motion Control Technology | March 3rd, Sun. AM 11:00-12:40 Room-B |
| Chairs | : Prof. Kenji Natori (Chiba University) | Prof. Toshiyuki Fujita (The University of Tokyo) |
| SS2-1 | Proposal on Connection of Air Conditioners to DC Bus for a Home Energy System Including Solar Cells and Batteries | Toshiyuki Fujita, Sakahisa Nagai and Hiroshi Fujimoto (The University of Tokyo, Japan); Michihiro Nakagawa and Naoya Yamshita (Daikin Industries LTD, Japan); Yoshiki Yasuda and Akio Yamagiwa (DAIKIN Industries, Ltd., Japan) |
| SS2-2 | A Study of 10MHz Multisampling Deadbeat Control for PMLSM Drive System Using USPM Controller | Tomoki Yokoyama (Tokyo Denki University, Japan); Tomoyuki Shimono (Yokohama National University, Japan); Daisuke Hiroe, Yuto Ushigome and Kakeru Innami (Tokyo Denki University, Japan) |
| SS2- 3 | Confirmation of Wave Power Generation Characteristics Using Fourth Helical Motor Under Maximizing Regenerative Efficiency Control | Ryosuke Kihira and Masato Koyama (Mie University, Japan) |
| SS2-4 | A Consideration of Dead-Time Compensation Method Focusing on Voltage Phase Characteristics of Three-Phase Inverter | Makoto Chiba, Kenji Natori and Yukihiko Sato (Chiba University, Japan) |
| SS3(4) | Intelligent Sensing and Control Applications for Collaboration of Human, Artificial, and Virtual Systems | March 2nd, Sat. AM 11:00-12:40 Room-B |
| Chairs | : Prof. Koichi Hidaka (Tokyo Denki University) | Prof. Takahiro Nozaki (Keio University) |
| SS3-1 | Human Motion Reproduction Method with Machine Learning for Calligraphy Robot | Hirotatsu Otake and Naoki Motoi (Kobe University, Japan) |
| \$\$3-2 | Visualization of Stroke Data for Motion Analysis by Using Pen Tablet | Shoma Ichiyanagi, Tomoyuki Shimono and Moe Kobayashi (Yokohama National University, Japan); Masaya Nakata (The University of Electro-Communications, Japan); Mayuko Izumi (Yokohama National University, Japan); Tadakuni Tsubota (Wacom Co. Ltd., Japan); Taisei Fujisawa (Yokohama National University, Japan); Osamu Uehara (Wacom Co. Ltd., Japan) |
| SS3-3 | Development of Measurement Method for Limb Tip Output During Muscle Relaxation | Yuki Kanai and Tomoyuki Shimono (Yokohama National University, Japan); Kenichi Sugawara, Tomotaka Suzuki, Yuma Takenaka and Ryoki Sasaki (Kanagawa University of Human Services, Japan) |
| SS3-4 | Self-Localization with Weighting Function for Particle Filter Based on Inflection Point of Likelihood | Koichi Hidaka, Prof and Hayate Suzuki (Tokyo Denki University, Japan) |

| SS4(6) | Advanced motion control methods for modern mechatronics systems | March 2nd, Sat. PM2 14:40-16:40 Room-B |
|---------------|---|--|
| Chai | rs: Prof. Junxiao Wang (Zhejiang University of Technology) | Prof. Huiming Ouyang (Nanjing Tech University) |
| SS4-1 | Adaptive-Back-Stepping-Based Anti-Swing Control Method Based on Rotary Crane | Zhu Hongjie, Huimin Ouyang, Huan Xi and Hui Yi (Nanjing Tech University, China) |
| SS4-2 | Active Disturbance Rejection Control for Offshore Cranes Based on Differential Flatness and Fuzzy Logic | Zhaoqi Li and He Chen (Hebei University of Technology, China); Yinan Wu (Nankai University, China); Haiyan Qiang (Shanghai Maritime University, China) |
| SS4-3 | Adaptive Variable-Gain Sliding Mode Control of Robot Manipulators with Full State Constraints | Dong-Dong Zheng and Yingqi Guo (Beijing Institute of Technology, China); Kai Guo (Shandong University, China); Yufei Liu (Harbin University of Science and Technology, China) |
| SS4-4 | Prescribed-Time Robust Repetitive Learning Control for PMSM Servo Systems with Nonparametric Uncertainties | Yaqian Li, Qiang Chen and Huihui Shi (Zhejiang University of Technology, China); Shuzong Xie (Zhejiang University, China); Shubo Wang (Qingdao University, China) |
| SS4-5 | Homography-Based Visual Servoing for Eye-In-Hand Robot Control with Adaptive Depth Estimation | Qiwen Fang, Xian Wang, Haoran He, Faxiang Zhang and Yingbo Huang (Kunming University of Science and Technology, China); Jing Na (University of Bristol, United Kingdom (Great Britain)) |
| SS4-6 | Position Sensorless Control Strategy of IPMSM Based on Enhanced High Order Generalized Integrator Flux Observer | Kailin Hu, Ying Bo and Junxiao Wang (Zhejiang University of Technology, China) |
| JIA-to-SAMCON | | March 3rd, Sun. PM2 14:40-16:40 Room-B |
| Chai | rs: | |
| JIA-1 | Motion Generation Based on Contact State Estimation Using Two-Stage Clustering | Kazuki Takeuchi (Saitama University, Japan); Sho Sakaino (University of Tsukuba, Japan); Toshiaki Tsuji (Saitama University, Japan) |
| JIA-2 | Fundamental Study on Adaptive Shock Response Control for Emergency Landing of UAVs and Its Experimental Investigation | Pengcheng Li (Nagoya University, Japan); Ryuki Sato (The University of Electro-Communications, Japan); Masaki Hasegawa (Brother Industries, Ltd., Japan); Susumu Hara (Nagoya University, Japan) |
| JIA-3 | Inverter Air Conditioner Promotion by Developing a High Power Density Motor Drive System | Nobuo Hayashi (Daikin Industries, LTD., Japan) |
| JIA-4 | Σ-X Series: AC Servo Drive for Achievement of Digital Solution | Ryohei Kitayoshi, Yasufumi Yoshiura, Yasuhiko Kaku |
| | | |

cca/c)

| TT1(6) | Sensing and Its Applications | March 4th, Mon. PM2 14:40-16:40 Room-B |
|--------|---|---|
| Chairs | : Prof. Hiroshi Igarashi (Tokyo Denki University) | Prof. Satoshi Komada (Mie University) |
| TT1-1 | Monocular Camera and Line Laser-Based Real-Time Multi-Obstacle Distance Measurement System | Tomu Kodama (Aoyama Gakuin University, Japan); Taku Itami (Aoyama Gakuin University & College of Science and Engineering, Japan); Jun Yoneyama (Aoyama Gakuin University, Japan) |
| TT1-2 | Surface Roughness Identification Based on Heat Flow Sensing Using One-Point Robot Finger Pad | Yukiko Osawa (National Institute of Advanced Industrial Science and Technology); Taro Fukazawa and Masayuki Murata (National Institute of Advanced Industrial Science and Technology, Japan) |
| TT1-3 | Environmental Impedance Estimation Based on Confidence Score of Object Detection Model | Sora Yamaguchi, Seiichiro Katsura and Yuki Tanaka (Keio University, Japan) |
| TT1-4 | Re-Identification Using Depth Information for Multiple People Tracking in Thermal Images | Kimitaka Taki and Katsuya Kondo (Tottori University, Japan) |
| TT1-5 | Position Control of Ankle Joint Using Functional Electrical Stimulation | Kenta Kara and Seiichiro Katsura (Keio University, Japan) |
| TT1-6 | ROI Reconstruction for Reducing Dose in CBCT by Adaptive Irradiation Angular Interval and Interpolation | Kentaro Hashimoto (Tottori University, Japan); Yasushi Ono (Tottori University & Tottori University Hospital, Japan); Katsuya Kondo (Tottori University, Japan) |
| TT2(5) | Actuation and Automotive Systems | March 2nd, Sat. AM 11:00-12:40 Room-C |
| | : Prof. Yuki Yokokura (Nagaoka University of Technology) | Prof. Wataru Ohnishi (The University of Tokyo) |
| TT2-1 | Verification of Improved Contact Motion with Lower Moment of Inertia by Using In-Link Actuators | Kazuma Morikawa and Seiichiro Katsura (Keio University, Japan) |
| TT2-2 | Clutch Normative Control Based Shockless Re-Acceleration for Hybrid Electric Vehicles in Coasting State | Hikaru Sosaka, Yuki Yokokura and Kiyoshi Ohishi (Nagaoka University of Technology, Japan); Akira Yamaguchi, Yoshiyuki Shinya and Takashi Hatano (Mazda Motor Corporation, Japan) |
| ТТ2-3 | A Consideration of Vibration Suppression Control of Parallel Shaft e-Axle Using Phase Stabilization Control Based on System Identification | Michi Oda (The University of Tokyo & Ono Sokki Co., Ltd., Japan); Sakahisa Nagai and Hiroshi Fujimoto (The University of Tokyo, Japan); Hidemasa Fujita, Kota Yamamoto and Tohru Urano (Mitsubishi Motors Corporation, Japan); Koji Satoh, Kana Mizoguchi and Naoki Takizawa (Ono Sokki Company Limited, Japan) |
| TT2-4 | Frequency Response Based Track Following Controller Design in Dual Stage Actuator HDD Using Sensitivity Decoupling Structure | Junpei Morimoto, Kazuhiro Yubai, Daisuke Yashiro and Satoshi Komada (Mie University, Japan) |
| TT2-5 | Application of Deep Reinforcement Learning to Decentralized Control of Traffic Signals Considering Fairness in a Road Traffic Network Including Intersections Without Traffic Signals | Shogo Shirasaka (Tokyo University of Science, Japan); Naoki Kodama (Meiji University, Japan); Taku Harada (Tokyo University of Science, Japan) |
| TT3(6) | Control Theory and Its Applications | March 4th, Mon. PM2 14:40-16:40 Room-A |
| . , | : Prof. Tadanao Zanma (Chiba University) | Prof. Shota Yabui (Tokyo City University) |
| TT3-1 | Compensation of Residual Vibration in Track-Seeking Control of Hard Disk Drive Using ZPETC and Sampled Data Polynomial | Hiroki Hoki and Takenori Atsumi (Chiba Institute of Technology, Japan) |
| TT3-2 | Force Estimation of Multi-DoF Manipulator Based on Virtual Environment Quarrier Using Gated Recurrent Unit | Yuki Tanaka and Seiichiro Katsura (Keio University, Japan) |
| TT3-3 | Soft Sensor Design Method Using Experimental Data for Mechanical Systems with Coulomb Friction | Tokutaro Kitamura, Kazuhiro Yubai, Daisuke Yashiro and Satoshi Komada (Mie University, Japan) |
| TT3-4 | Data Driven Controller Update of State Predictive Servo Systems for Linear Time-Delay Systems | Hiroki Kanda (The University of Electro-Communications, Japan) |
| TT3-5 | A New Approach of Data-Driven Prediction and Control Directly Evaluated with Input | Miku Ikesawa and Osamu Kaneko (The University of Electro-Communications, Japan) |
| TT3-6 | Investigation of Frequency-Shaped Final-State Control Design Focusing on Softening Spring Characteristics of Machine-Stand Vibration | Yuya Watanabe, Kenta Seki and Makoto Iwasaki (Nagoya Institute of Technology, Japan) |

| TT5-1(5) | Robotics and Mechatronics | March 3rd, Sun. AM 11:00-12:40 Room-C |
|----------|---|---|
| Chairs | s: Prof. Yuki Yokokura (Nagaoka University of Technology) | Prof. Daisuke Yashiro (Mie University) |
| TT5-1 | Realization of Robust and Fast State Estimation Based on Instantaneous State Observer and Its Application | Junya Hasegawa, Akira Hamaguchi, Yuki Yokokura and Kiyoshi Ohishi (Nagaoka University of Technology, Japan); Yusuke Kawai (National Institute of Technology Ichinoseki College, Japan); Toshimasa Miyazaki (Nagaoka University of Technology, Japan) |
| TT5-2 | Study on Real-Time Fault Detection System for Twin-Drive Ball Screw Sliders | Tetsuya Ojiro and Kazuhiro Tsuruta (Kyushu Sangyo University, Japan) |
| TT5-3 | Load Side Angle Control Using Backlash Model for Torsional Torque Estimation of Double Motor with Reduction Gear | Yuto Ikeda, Daisuke Yashiro, Kazuhiro Yubai and Satoshi Komada (Mie University, Japan) |
| TT5-4 | Sensor-Integrated End-Effector for Process Monitoring of Tire Changer | Daiki Mori (University of Fukui, Japan) |
| TT5-5 | In-Hand Manipulation Considering Disturbance Based on Modal Control | Aina Kojima, Shunichi Sakurai and Seiichiro Katsura (Keio University, Japan) |
| | | |
| TT5-2(5) | Robotics and Mechatronics | March 4th, Mon. AM 11:00-12:40 Room-B |
| Chairs | s: Prof. Naoki Motoi (Kobe University) | Prof. Yuki Nagatsu (Takushoku University) |
| TT5-6 | Three-Dimensional Motion Mechanism with Tendon-Driven Gravity Compensation | Yusaku Kuroki and Seiichiro Katsura (Keio University, Japan) |
| TT5-7 | Modeling of Ankle Joint Elastic Torque-Angle Characteristics Using Time-Varying Elastic Coefficient During Passive | Hiroto Takai, Daisuke Yashiro, Kazuhiro Yubai and Satoshi Komada (Mie University, Japan); |
| 113-7 | Plantar and Dorsiflexion | Kotaro Takeda (Fujita Health University, Japan) |
| TT5-8 | Path Planning for Construction Machines by Pre-Modeling Soil Dynamics | Tatsuya Nakayama and Yutaka Uchimura (Shibaura Institute of Technology, Japan) |
| TT5-9 | Self-Tuning Control of Boom Angular Velocity for Mobile Cranes in Consideration of Boom Oscillation Mode | Kazuma Mizuki (Tadano Ltd., Japan) |
| TT5-10 | Construction of Grass Density Determination System Using Force Sensor for Flail Type Mowing System | Iwano Yuki (Fukui University of Technology, Japan) |
| | | |
| TT6(5) | Human Interaction | March 4th, Mon. AM 11:00-12:40 Room-A |
| Chairs | s: Prof. Daisuke Yashiro (Mie University) | Prof. Takahiro Nozaki (Keio University) |
| TT6-1 | Sound Source Distance Estimation Using Two Microphones for People with Hearing Loss | Riku Endo and Akemi Matsuo (AoyamaGakuin University, Japan); Taku Itami (Aoyama Gakuin University & College of Science and Engineering, Japan); Jun Yoneyama (Aoyama Gakuin University, Japan) |
| ТТ6-2 | Development of VR Bone Fragment Fixation Simulator for Sagittal Split Ramus Osteotomy with 3D Contact Pressure Analysis | Yuto Hirose (University of Yamanshi, Japan); Yoshiyuki Kagiyama, Koichiro Ueki and Akinori Moroi (University of YAMANASHI, Japan); Norio Takeuchi (Hosei University, Japan); Yasumi Ito and Yoshiyuki Noda (University of Yamanashi, Japan); Yoshihiro Kuroda (University of Tsukuba, Japan); Shunsuke Yoshimoto (The University of Tokyo, Japan); Osamu Oshiro (Osaka University, Japan) |
| TT6-3 | Comparison of Reproductive and Synchronous Controllers for Discrete-Event Physical Human-Robot Interaction | Tatsuya Akahoshi and Hisayoshi Muramatsu (Hiroshima University, Japan) |
| TT6-4 | Application of a Learning Classifier System for Explaining Survival Prediction Results for Breast Cancer Data | Ryo Suzuki, Chika Matsushima and Taku Harada (Tokyo University of Science, Japan) |
| TT6-5 | Design and Control of Tendon-Driven Soft Hand Exoskeleton: A Preliminary Study | Subhash Pratap (Mechanical Engineering, Gifu University & IIT Guwahati, India); Jyotindra Narayan (Imperial College London, United Kingdom (Great Britain) & Digital Health, University of Bayreuth, Germany); Yoshiyuki Hatta (Gifu University, Japan); Shyamanta Hazarika (IIT Guwahati, India); Kazuaki Ito (Gifu University, Japan) |

| P1A | March 2nd PM 13:50-14:20 Room-A [Shot-gun] | March 2nd PM 14:40-16:40 Foyer [Poster] |
|-------|---|---|
| P1A-1 | Study on Magnetic Elastomer for Application to Magnetic Adsorption Pads | Shimpei Iguchi and Hiroaki Kuwahara (Shibaura Institute of Technology, Japan) |
| P1A-2 | Resonance Frequency Control of Four-Inertia System Using Virtual Spring Control | Taichi Nakamura (Nagaoka University of Technology, Japan) |
| P1A-3 | Proposal and Basic Study of 4-DOF Parallel Link Mechanism with Torsional Motion Assist Function | Hiromasa Nozawa (Japan); Hiroaki Kuwahara (Shibaura Institute of Technology, Japan) |
| P1A-4 | Cooperative Spatial Control of Human and Mobile Robot Using Overlooking System | Masaki Endo and Hiroaki Kuwahara (Shibaura Institute of Technology, Japan) |
| P1A-5 | Continuous Robust Position Control of TSA with Variable Radius Cam | Masaki Saito (Keio University, Japan); Luc Vignolles (Keio University, France); Toshiyuki Murakami (Keio University, Japan) |
| P1A-6 | Application of Motion Control for High-Precision Automatic Chamfering Machine in Gear Manufacturing Process | Kazuki Hayashi, Yoshiyuki Hatta and Kazuaki Ito (Gifu University, Japan); Kiyohiko Sakuraba (Kabutoyama Works Co. Ltd., Japan) |
| P1B | March 2nd PM 13:50-14:20 Room-B [Shot-gun] | March 2nd PM 14:40-16:40 Foyer [Poster] |
| P1B-1 | Development and Evaluation Isolated Class-Ф2 DC-DC Converter | Shiono Tomoya (Chiba Institute of Technology, Japan) |
| P1B-2 | A Study of High-Frequency Power Supply for Plasma Discharge in Liquid | Atsushi Kosugi (Chiba Institute of Technology & Saitama Prefectural Koshigaya Sogo Gijutsu High School, Japan) |
| P1B-3 | Preliminary Study of Control Methods for Heat Pump Cooling/Heating Systems for Typhoon Control | Rui Kimura and Yasutaka Fujimoto (Yokohama National University, Japan) |
| P1B-4 | Data-Driven Control and Prediction for Automobile Steering Control System | Ryu Chang hyuk (The University of Electro Communications, Japan); Ryusei Yamamoto and Osamu Kaneko (The University of Electro-Communications, Japan) |
| P1B-5 | Basic Study on Velocity Control in Wing Coordinate System Using Acceleration-Based Disturbance Observer for Tilt-Wing eVTOL | Takuma Katagiri (The University of Tokyo, Japan); Kentaro Yokota (Japan Aerospace Exploration Agency, Japan); Kota Fujimoto, Sakahisa Nagai and Hiroshi Fujimoto (The University of Tokyo, Japan) |
| P1B-6 | Loop Shaping Method for DISO Systems with Consideration of Each Actuator Characteristic | Haruki Murakami and Shota Yabui (Tokyo City University, Japan) |
| P1C | March 2nd PM 13:50-14:20 Room-C [Shot-gun] | March 2nd PM 14:40-16:40 Foyer [Poster] |
| P1C-1 | Classifying Hidden Object Using Hyperspectral Image | Nana Shirakashi and Yuko Ozasa (Graduate School of System Design and Technology, Tokyo Denki University, Japan) |
| P1C-2 | Effect of Dimensionality Reduction on Hyperspectral Image Classification Using Multi-Layer Perceptoron | Shu Yamamoto and Yuko Ozasa (Graduate School of System Design and Technology, Tokyo Denki University, Japan) |
| P1C-3 | Evaluation of Generalization Performance in Road Surface Condition Classification with Hyperspectral Images | Yuri Otsuka and Junkei Okada (Graduate School of System Design and Technology, Tokyo Denki University, Japan); Takuma Kaneko (School of System Design and Technology, Tokyo Denki University, Japan); Yuko Ozasa (Graduate School of System Design and Technology, Tokyo Denki University, Japan) |
| P1C-4 | Data Augmentation Approach for Pixel-Wise HSI Classification | Junkei Okada and Yuko Ozasa (Graduate School of System Design and Technology, Tokyo Denki University, Japan) |
| P1C-5 | Pose Estimation of a Floating Bottle Cap by Parametric Eigenspace Method for Measuring Rainfall | Satoshi Yoshioka, Katsuya Kondo and Mitsuru Tsubo (Tottori University, Japan) |
| P1C-6 | Study on Image Similarity Judgment Method by Grouping Processing for Waste-Printed Circuit Boards | Hikaru Shirai, Ryo Ohishi, Yoichi Kageyama and Shigeru Kawamura (Akita University, Japan); Kazune Sasaki (DOWA Technology, Japan); Keita Ogawa and Satoshi Nakagawara (DOWA Metals and Mining, Japan) |
| P1C-7 | A Preliminary Study on Angular Velocity Detection with Magnet-Sensor by Jacobian Matrix for Ultra-Small Satellite | Hajime Saito (National Institute of Technology(KOSEN), Gunma College, Japan) |

| P2A | March 3rd PM 13:50-14:20 Room-A [Shot-gun] | March 3rd PM 14:40-16:40 Foyer [Poster] |
|-------|--|--|
| P2A-1 | Method for Human-Like Environment Contact Motion Using a Series Elastic Actuator | Helio Nonose and Yasumichi Aiyama (University of Tsukuba, Japan) |
| P2A-2 | Reproduction of Explosive Charging Motion Compensated for Changes in Position of Hole by Using Depth Camera | Moe Horikoshi, Izumi Kotani, Takahiro Nozaki and Kazuki Yane (Keio University, Japan) |
| P2A-3 | Optimal Trajectory Planning with Collision Avoidance for Industrial Robots Considering Energy and Time in Operation | Yusuke Toki, Naoki Mizuno and Makoto Iwasaki (Nagoya Institute of Technology, Japan) |
| P2A-4 | Validating and Improving the Modeling of Wire Tension Direction of Walking Assistive Device with Single- Actuated Wire-Driven Mechanism | Tatsuya Okada, Masato Koyama and Satoshi Komada (Mie University, Japan) |
| P2A-5 | Consensus Problem Based on Funnel Control Considering Obstacle Avoidance | Hiroki Kimura and A. Okuyama (Tokai University, Japan) |
| P2A-6 | Gait Generation Based on Deep Reinforcement Learning in 4-Legged Robots Equipped with CPGs | Seiya Nishizawa and Atsushi Okuyama (Tokai University, Japan) |
| P2B | March 3rd PM 13:50-14:20 Room-B [Shot-gun] | March 3rd PM 14:40-16:40 Foyer [Poster] |
| P2B-1 | Silent Speech Recognition Using Facial Surface EMG | Ryosuke Kimoto, Takashi Ohhira and Hideki Hashimoto (Chuo University, Japan) |
| P2B-2 | Construction of a Multi-Sensor Synchronous Measurement System for Single-Finger Pressing Task | Katsuya Fujiwara (Akita University, Japan) |
| | | Shunsuke Fujiki (University of Yamanashi, Japan); Yoshiyuki Kagiyama (University of |
| P2B-3 | Development of VR Preoperative Planning System for Cup in Total Hip Arthroplasty with Color Map Assistance of | YAMANASHI, Japan); Yoshihiro Kuroda (University of Tsukuba, Japan); Shunsuke Yoshimoto (The |
| 1203 | Residual Bone Thickness | University of Tokyo, Japan); Yasumi Ito and Yoshiyuki Noda (University of Yamanashi, Japan); |
| | | Osamu Oshiro (Osaka University, Japan) |
| P2B-4 | Mental Stress Induced with Key Swapping During Typing Tasks | Nan Bu (National Institute of Technology, Kumamoto College, Japan) |
| | | Kento Hirogaki (Gifu University, Japan); Subhash Pratap (Mechanical Engineering, Gifu University |
| P2B-5 | The Development of a New Exoskeleton Glove System for Rehabilitation Assistance of Spinal Cord Injury Patients | & IIT Guwahati, India); Yoshiyuki Hatta and Kazuaki Ito (Gifu University, Japan); Shyamanta |
| Dan C | Drawaging on Fredramment for Analysing Human Tagghing Mathada Heing Traings Madal | Hazarika (IIT Guwahati, India) |
| P2B-6 | Proposing an Environment for Analyzing Human Teaching Methods Using Trainee Model | Kota Kobayashi and Hiroshi Igarashi (Tokyo Denki University, Japan) |
| P2C | March 3rd PM 13:50-14:20 Room-C [Shot-gun] | March 3rd PM 14:40-16:40 Foyer [Poster] |
| P2C-1 | Date-Driven Controller Tuning Without Reference Models for State Feedback Typed Servo System | Tomohito Kawamura (The University of Electro-Communications, Japan) |
| P2C-2 | A Study on Input-Output Control of Universal Direct Converter by Low-Pass Filter When the Single-Phase Power is Supplied | Momoka Yabuuchi and Masato Koyama (Mie University, Japan) |
| P2C-3 | Design Method of Disturbance Observer Control System for the Periodic Disturbance | Yu Yamada (Gunma University, Japan); Sorawin Phukapak (Udonthani Rajabhat University & Gunma University, Japan); Chawisorn Phukapak (Rajabhat Maha Sarakham University, Thailand); Nghia Thi Mai (Posts and Telecommunications Institute of Technology & Gunma University, Vietnam); Kotaro Hashikura, Md Abdus Samad Kamal, Iwanori Murakami and Kou Yamada (Gunma University, Japan) |
| P2C-4 | Delay Identification in Remote Control Systems with Time Delay | Takuto Fujiwara and Tomoyuki Shimono (Yokohama National University, Japan); Daniele Canton (Yokohama National University, Italy) |
| P2C-5 | Estimated Speed Compensation Based on Two Types of Axis Errors | Ryosei Takiguchi (University of Keio, Japan); Takahiro Nozaki (Keio University, Japan) |
| P2C-6 | Basic Study on Robust Perfect Tracking Control Based on Parameter Estimation Reducing Outlier Effects | Shogo Yamada (University of Tokyo, Japan); Kota Fujimoto and Hiroshi Fujimoto (The University of Tokyo, Japan) |

| P3A | March 4th PM 13:50-14:20 Room-A [Shot-gun] | March 4th PM 14:40-16:40 Foyer [Poster] |
|-------|--|---|
| P3A-1 | Performance Evaluation of Out-Of-Distribution Detection on Various Model Size of Deep Learning Models | Ken Eto (Tokyo Denki University, Japan); Yoshihiro Fukuhara (Waseda University, Japan); Rei Kawakami (Tokyo Institute of Technology, Japan); Yuko Ozasa (Graduate School of System Design and Technology, Tokyo Denki University, Japan) |
| P3A-2 | Cutting State Estimation Based on Haptic Information Acquired by One DOF Teleoperated Oscillating Saw for Orthopedic Surgery | Takuya Matsunaga and Shunya Takano (Kanagawa Institute of Industrial Science and Technology, Japan); Tomoyuki Shimono (Yokohama National University, Japan); Kouhei Ohnishi, Toshiki Wakabayashi, Shu Kobayashi, Mitsuru Yagi and Masaya Nakamura (Keio University, Japan) |
| P3A-3 | Development of Fully Automated Preoperative Planning System for Stem in Total Hip Arthroplasty | Shun Inoue and Yoshiyuki Kagiyama (University of YAMANASHI, Japan); Yoshito Otake (Nara Institute of Science and Technology, Japan); Masaki Takao (Ehime University, Japan); Keisuke Uemura and Nobuhiko Sugano (Osaka University, Japan); Yoshinobu Sato (Nara Institute of Science and Technology, Japan) |
| P3A-4 | Realization of Precise Manipulation by Admittance-Based Bilateral Control Using Piezoelectric Actuator | Saki Kozu and Izumi Kotani (Keio University, Japan); Kenta Seki (Nagoya Institute of Technology, Japan); Naoki Motoi (Kobe University, Japan); Takahiro Nozaki (Keio University, Japan) |
| P3A-5 | Investigation of Lower Limit of Admittance with Varying Mass in Admittance Bilateral Control | Reina Wakimoto, Izumi Kotani and Takahiro Nozaki (Keio University, Japan) |
| P3A-6 | Contact Force Control Using a Variable Spring Constant Model to Represent Axial Torsion Phenomena for an Articulated Robot with Motors with Built-In Double Encoders | Noba Kyotaro (Mie University, Japan) |
| P3B | March 4th PM 13:50-14:20 Room-B [Shot-gun] | March 4th PM 14:40-16:40 Foyer [Poster] |
| P3B-1 | Power-Assist Control of Straight Driving and Turning of a Hand Push Electric Transporter with Rear Wheel Steering | Hirotaka Kitagawa (Nagaoka University of Technology, Japan) |
| P3B-2 | Trajectory Generation Algorithm for Sprinkler Truck Considering Vehicle Constraints | Hiroki Noguchi (Yokohama University, Japan); Yasutaka Fujimoto (Yokohama National University, Japan); Atsushi Sakai, Shota Konishi and Kenta Osagawa (Komatsu Ltd., Japan) |
| P3B-3 | Control of Autonomous Mobile Robot with Simple Map | Sota Ushigome and Yasutaka Fujimoto (Yokohama National University, Japan) |
| P3B-4 | Modeling and Sliding Mode Control of Magnetization Current Considering Rectifier in High Frequency Linked ACDC Matrix Converter | Takeshi Asano and Masato Koyama (Mie University, Japan) |
| P3B-5 | Anti-Dive Suspension Force Based Sprung Roll-Heave Non-Interference Simultaneous Control of In-Wheel-Motored Vehicles | Chen Qi (University of Tokyo, Japan); Sakahisa Nagai (The University of Tokyo, Japan); Minh Binh Nguyen (University of Tokyo, Japan); Hiroshi Fujimoto (The University of Tokyo, Japan) |
| P3B-6 | An Estimation on Attitude Control System with Magnetorquer by Permanent Magnet for Ultra-Small Satellite on Polar Orbit | Daisuke Akaishi (National Institute of Technology (KOSEN), Gunma College, Japan) |
| P3C | March 4th PM 13:50-14:20 Room-B [Shot-gun] | March 4th PM 14:40-16:40 Foyer [Poster] |
| P3C-1 | Reluctance Actuator with Integrated Hall Sensor and Permanent Magnet for Vibration Isolation | Takamaro Fukuyama (University of Fukui, Japan) |
| P3C-2 | Expanding the Control Bandwidth of Optimal Position/Power-Saving MagLev Control System of Helical Motor Using HOSMD | Yuta Atsumi and Masato Koyama (Mie University, Japan) |
| P3C-3 | Design of Lightweight and Fast-Response High-Voltage Converter Using Switched Capacitor | Ryota Tauchi, Tomoya Kitamura and Takahiro Nozaki (Keio University, Japan) |
| P3C-4 | Modeling of Hysteresis Characteristics Using Upper Bounded Unparallel Prandtl-Ishlinskii Model | Yuki Aihara, Kenta Seki and Makoto Iwasaki (Nagoya Institute of Technology, Japan) |
| P3C-5 | Finite Element Analysis of Magnetic Geared Screw Two-Degree-Of-Freedom Motor with Halbach Array | Sumika Miyata, Yoshiyuki Hatta and Kazuaki Ito (Gifu University, Japan) |
| P3C-6 | Transmission Coil Structure of Halbach Array with Magnetic Flux Concentration in Wireless Power Transfer | Takayuki Oba and Yuhei Tomioka (Keio University, Japan); Sakahisa Nagai (The University of Tokyo, Japan); Takahiro Nozaki (Keio University, Japan) |
| P3C-7 | Velocity Noise Reduction Using Multi-Level Inverters | Koki Kodama and Hidemine Obara (Yokohama National University, Japan); Tomoki Yokoyama (Tokyo Denki University, Japan); Tomoyuki Shimono (Yokohama National University, Japan) |